

## **Historic, Archive Document**

Do not assume content reflects current  
scientific knowledge, policies, or practices.



**U. S. DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service - Cotton Program**  
**Memphis, Tennessee**

# ***UNITED STATES***

## ***Cotton Quality Report***



***Classings Through March 1, 2007***

Table 1. -- **United States** : Distribution of color, leaf and staple for upland cotton classed through March 1, 2007

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	3	14	382	2,852	10,042	28,400	60,986	117,851	220,530
	3	-	42	568	3,870	14,229	46,078	117,446	251,688	433,921
	4	-	26	175	605	1,432	3,356	8,091	17,273	30,958
	5	-	2	8	41	141	204	486	684	1,566
	6	-	-	-	1	6	15	8	32	62
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	<b>3</b>	<b>84</b>	<b>1,133</b>	<b>7,369</b>	<b>25,850</b>	<b>78,053</b>	<b>187,017</b>	<b>387,528</b>	<b>687,037</b>
31	1-2	7	9	53	548	4,591	21,484	50,316	70,907	147,915
	3	1	45	393	3,812	32,931	193,071	627,983	1,247,448	2,105,684
	4	-	45	259	1,577	7,774	35,587	119,891	312,372	477,505
	5	-	20	81	157	1,127	4,691	12,679	18,141	36,896
	6	-	-	3	7	37	354	1,177	1,424	3,002
	7	-	-	-	2	-	13	45	49	109
	<b>TOTAL----</b>	<b>8</b>	<b>119</b>	<b>789</b>	<b>6,103</b>	<b>46,460</b>	<b>255,200</b>	<b>812,091</b>	<b>1,650,341</b>	<b>2,771,111</b>
41	1-2	1	1	7	78	796	3,179	6,608	7,799	18,469
	3	-	9	97	1,451	13,805	91,138	341,673	741,052	1,189,225
	4	-	26	203	1,745	8,848	50,977	204,772	585,886	852,457
	5	-	32	99	622	2,528	11,677	32,062	70,518	117,538
	6	-	14	16	171	552	1,999	4,016	6,587	13,355
	7	-	-	5	18	95	261	487	564	1,430
	<b>TOTAL----</b>	<b>1</b>	<b>82</b>	<b>427</b>	<b>4,085</b>	<b>26,624</b>	<b>159,231</b>	<b>589,618</b>	<b>1,412,406</b>	<b>2,192,474</b>
51	1-2	-	-	-	11	66	153	298	356	884
	3	-	-	6	70	866	4,306	12,842	25,205	43,295
	4	-	-	8	138	1,109	4,843	14,704	34,941	55,743
	5	-	-	11	60	391	1,986	5,213	9,972	17,633
	6	-	-	2	12	127	512	973	1,741	3,367
	7	-	-	1	7	55	149	107	180	499
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>28</b>	<b>298</b>	<b>2,614</b>	<b>11,949</b>	<b>34,137</b>	<b>72,395</b>	<b>121,421</b>
61	1-2	-	-	-	-	1	1	5	4	11
	3	-	-	-	5	16	79	133	213	446
	4	-	-	1	8	51	83	177	283	603
	5	-	-	-	11	31	34	58	134	268
	6	-	-	-	9	28	13	22	43	115
	7	-	-	-	-	1	1	3	3	8
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>33</b>	<b>128</b>	<b>211</b>	<b>398</b>	<b>680</b>	<b>1,451</b>
71	1-2	-	-	-	-	2	-	-	1	3
	3	-	-	-	-	-	3	2	6	11
	4	-	-	1	-	1	2	1	3	8
	5	-	-	-	-	1	-	1	2	4
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	1	-	1
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>4</b>	<b>5</b>	<b>5</b>	<b>12</b>	<b>27</b>
12 & 22	1-2	-	21	394	1,519	3,193	4,378	4,064	4,443	18,012
	3	2	185	1,048	2,583	5,680	8,268	9,765	12,586	40,117
	4	1	62	311	575	1,201	1,690	2,180	2,893	8,913
	5	-	14	51	86	223	456	373	310	1,513
	6	-	1	-	8	15	60	24	20	128
	7	-	-	-	-	-	5	-	-	5
	<b>TOTAL----</b>	<b>3</b>	<b>283</b>	<b>1,804</b>	<b>4,771</b>	<b>10,312</b>	<b>14,857</b>	<b>16,406</b>	<b>20,252</b>	<b>68,688</b>
32	1-2	-	2	21	157	501	1,055	1,039	956	3,731
	3	6	95	381	1,463	6,492	16,466	25,032	31,692	81,627
	4	2	74	357	751	2,970	8,376	15,185	22,116	49,831
	5	-	41	164	323	581	1,206	1,715	2,413	6,443
	6	-	13	46	87	108	250	352	254	1,110
	7	-	7	5	17	35	56	50	25	195
	<b>TOTAL----</b>	<b>8</b>	<b>232</b>	<b>974</b>	<b>2,798</b>	<b>10,687</b>	<b>27,409</b>	<b>43,373</b>	<b>57,456</b>	<b>142,937</b>
42	1-2	-	2	7	26	120	287	287	235	964
	3	-	9	85	527	3,023	9,547	17,456	25,115	55,762
	4	-	21	151	832	3,618	13,798	28,515	48,705	95,640
	5	-	23	109	376	1,136	3,509	6,665	12,463	24,281
	6	-	12	52	130	255	570	872	1,143	3,034
	7	-	2	14	54	99	209	242	139	759
	<b>TOTAL----</b>	<b>-</b>	<b>69</b>	<b>418</b>	<b>1,945</b>	<b>8,251</b>	<b>27,920</b>	<b>54,037</b>	<b>87,800</b>	<b>180,440</b>
52	1-2	-	-	1	-	8	6	15	11	41
	3	-	-	7	23	78	341	742	1,192	2,383
	4	-	3	17	58	218	1,011	2,224	3,779	7,310
	5	1	19	35	54	130	483	1,318	2,209	4,249
	6	3	35	21	24	54	126	231	415	909
	7	3	38	5	16	37	66	73	81	319
	<b>TOTAL----</b>	<b>7</b>	<b>95</b>	<b>86</b>	<b>175</b>	<b>525</b>	<b>2,033</b>	<b>4,603</b>	<b>7,687</b>	<b>15,211</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 1, 2007

QUALITY	LEAF	STAPLE							
		26 & -	28	29	30	31	32	33	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	1	2	1	1
	3	-	-	-	-	2	7	17	29
	4	-	-	-	-	2	10	25	75
	5	-	-	1	-	1	1	13	58
	6	-	3	1	-	-	1	8	13
	7	3	3	2	-	7	5	1	2
<b>TOTAL----</b>		<b>3</b>	<b>6</b>	<b>4</b>	<b>-</b>	<b>13</b>	<b>26</b>	<b>65</b>	<b>178</b>
13 & 23	1-2	-	3	20	77	153	225	252	406
	3	1	17	71	165	444	679	826	1,164
	4	-	8	17	55	146	177	180	209
	5	-	1	2	16	48	72	49	26
	6	-	-	1	2	28	12	8	5
	7	-	-	-	-	-	5	-	-
<b>TOTAL----</b>		<b>1</b>	<b>29</b>	<b>111</b>	<b>315</b>	<b>819</b>	<b>1,170</b>	<b>1,315</b>	<b>1,810</b>
33	1-2	-	2	10	29	84	126	218	302
	3	2	55	107	251	705	1,402	2,517	4,352
	4	-	48	128	147	383	701	1,058	1,775
	5	1	25	110	86	103	201	274	296
	6	1	13	53	43	31	35	54	51
	7	-	1	5	13	19	10	10	5
<b>TOTAL----</b>		<b>4</b>	<b>144</b>	<b>413</b>	<b>569</b>	<b>1,325</b>	<b>2,475</b>	<b>4,131</b>	<b>6,781</b>
43	1-2	-	-	7	6	21	37	78	124
	3	-	9	21	55	381	1,519	3,704	7,036
	4	-	3	28	112	526	1,186	2,560	5,602
	5	-	36	70	69	152	306	543	776
	6	-	37	79	79	70	124	112	142
	7	-	13	31	44	22	27	34	35
<b>TOTAL----</b>		<b>-</b>	<b>98</b>	<b>236</b>	<b>365</b>	<b>1,172</b>	<b>3,199</b>	<b>7,031</b>	<b>13,715</b>
53	1-2	-	-	-	-	3	2	-	4
	3	-	-	1	4	43	121	318	607
	4	-	-	2	6	58	214	482	1,151
	5	-	1	1	11	37	67	205	408
	6	-	1	1	2	10	19	60	106
	7	-	1	2	7	5	11	13	12
<b>TOTAL----</b>		<b>-</b>	<b>3</b>	<b>7</b>	<b>30</b>	<b>156</b>	<b>434</b>	<b>1,078</b>	<b>2,288</b>
63	1-2	-	-	-	-	-	-	-	1
	3	-	-	-	-	-	3	7	7
	4	-	-	-	-	1	3	10	45
	5	-	-	-	-	-	-	5	16
	6	-	1	-	-	1	3	3	9
	7	-	-	-	-	-	2	-	2
<b>TOTAL----</b>		<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>11</b>	<b>25</b>	<b>80</b>
24-54	1-7	-	8	47	123	387	1,000	2,137	3,899
25-35	1-7	-	-	-	-	2	1	-	3
81-85 1/	1-7	1	11	4	9	35	112	268	510
All Colors	8 2/	3	16	16	28	188	345	475	314
<b>TOTAL, ALL----</b>		<b>42</b>	<b>1,280</b>	<b>6,499</b>	<b>29,016</b>	<b>135,554</b>	<b>585,641</b>	<b>1,758,210</b>	<b>3,726,135</b>

6,242,377

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 1, 2007

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	210,567	297,565	280,780	76,397	30,806	10,154	906,269
	3	440,471	609,484	680,069	194,445	52,236	13,760	1,990,465
	4	36,453	55,186	61,749	19,799	5,950	962	180,099
	5	1,266	1,841	1,879	467	82	11	5,546
	6	35	56	50	6	1	-	148
	7	1	-	1	-	-	-	2
	<b>TOTAL----</b>	<b>688,793</b>	<b>964,132</b>	<b>1,024,528</b>	<b>291,114</b>	<b>89,075</b>	<b>24,887</b>	<b>3,082,529</b>
31	1-2	77,647	79,917	69,705	28,398	22,591	9,987	288,245
	3	1,372,222	981,204	648,612	187,136	77,930	34,618	3,301,722
	4	568,944	569,019	372,070	90,536	25,460	6,232	1,632,261
	5	29,428	38,193	36,023	9,901	2,512	496	116,553
	6	1,477	2,017	1,919	531	80	9	6,033
	7	50	77	82	13	3	-	225
	<b>TOTAL----</b>	<b>2,049,768</b>	<b>1,670,427</b>	<b>1,128,411</b>	<b>316,515</b>	<b>128,576</b>	<b>51,342</b>	<b>5,345,039</b>
41	1-2	6,073	3,782	1,411	450	261	142	12,119
	3	841,016	488,759	164,695	16,297	5,579	2,460	1,518,806
	4	1,081,211	1,002,035	491,428	63,724	8,922	1,378	2,648,698
	5	130,173	152,534	110,141	22,948	3,844	627	420,267
	6	9,824	12,005	11,110	2,820	615	47	36,421
	7	828	1,007	1,031	247	158	13	3,284
	<b>TOTAL----</b>	<b>2,069,125</b>	<b>1,660,122</b>	<b>779,816</b>	<b>106,486</b>	<b>19,379</b>	<b>4,667</b>	<b>4,639,595</b>
51	1-2	269	190	40	3	-	-	502
	3	28,543	18,906	5,949	504	25	8	53,935
	4	62,949	62,547	31,871	3,883	99	622	161,971
	5	16,546	17,669	12,096	2,286	211	20	48,828
	6	2,888	3,070	2,044	395	53	9	8,459
	7	386	744	559	39	15	7	1,750
	<b>TOTAL----</b>	<b>111,581</b>	<b>103,126</b>	<b>52,559</b>	<b>7,110</b>	<b>572</b>	<b>59</b>	<b>275,007</b>
61	1-2	5	2	2	-	-	-	9
	3	301	211	49	6	4	1	572
	4	394	462	437	35	4	-	1,332
	5	153	119	165	15	1	-	453
	6	31	33	12	2	1	-	79
	7	6	4	5	-	1	-	16
	<b>TOTAL----</b>	<b>890</b>	<b>831</b>	<b>670</b>	<b>58</b>	<b>11</b>	<b>1</b>	<b>2,461</b>
71	1-2	-	1	1	-	-	-	2
	3	7	7	2	-	-	-	16
	4	4	22	16	2	-	-	44
	5	1	6	29	2	-	-	38
	6	-	-	3	-	-	-	3
	7	-	-	-	-	-	-	1
	<b>TOTAL----</b>	<b>12</b>	<b>36</b>	<b>51</b>	<b>4</b>	<b>-</b>	<b>-</b>	<b>103</b>
12 & 22	1-2	5,695	5,394	2,812	459	89	30	14,479
	3	17,848	16,896	10,601	1,912	379	138	47,774
	4	4,522	4,728	2,772	602	76	7	12,707
	5	479	389	290	37	5	1	1,201
	6	24	14	4	-	-	-	42
	7	-	-	-	-	-	-	5
	<b>TOTAL----</b>	<b>28,568</b>	<b>27,421</b>	<b>16,479</b>	<b>3,010</b>	<b>549</b>	<b>176</b>	<b>76,203</b>
32	1-2	984	732	897	375	201	88	3,277
	3	30,409	21,592	12,989	3,084	1,602	994	70,670
	4	26,939	20,413	11,536	2,417	747	354	62,406
	5	3,810	3,444	2,284	418	140	84	10,180
	6	369	359	270	51	3	2	1,054
	7	28	13	15	2	3	-	61
	<b>TOTAL----</b>	<b>62,539</b>	<b>46,553</b>	<b>27,991</b>	<b>6,347</b>	<b>2,696</b>	<b>1,522</b>	<b>147,648</b>
42	1-2	155	115	101	64	45	17	497
	3	25,735	17,365	6,301	814	536	225	50,976
	4	62,175	52,557	25,503	2,820	624	238	143,917
	5	15,763	14,693	9,417	1,515	314	108	41,810
	6	1,639	1,556	1,287	229	31	14	4,756
	7	231	197	166	35	1	2	632
	<b>TOTAL----</b>	<b>105,698</b>	<b>86,483</b>	<b>42,775</b>	<b>5,477</b>	<b>1,551</b>	<b>604</b>	<b>242,588</b>
52	1-2	10	5	8	-	1	1	25
	3	1,741	1,507	641	60	8	1	3,958
	4	5,937	6,469	4,221	449	22	3	17,101
	5	3,001	3,230	2,472	471	54	9	9,237
	6	597	608	467	77	15	3	1,767
	7	162	197	187	17	3	-	566
	<b>TOTAL----</b>	<b>11,448</b>	<b>12,016</b>	<b>7,996</b>	<b>1,074</b>	<b>103</b>	<b>17</b>	<b>32,654</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 1, 2007

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	1	-	1	-	-	-	2	7
	3	29	20	15	2	2	-	68	123
	4	258	495	503	82	3	-	1,341	1,453
	5	111	245	205	33	-	-	594	668
	6	21	15	4	-	-	-	40	66
	7	26	4	2	1	-	-	33	56
<b>TOTAL----</b>		<b>446</b>	<b>779</b>	<b>730</b>	<b>118</b>	<b>5</b>	<b>-</b>	<b>2,078</b>	<b>2,373</b>
13 & 23	1-2	536	548	454	56	4	-	1,598	2,734
	3	1,645	1,773	1,156	201	22	1	4,798	8,165
	4	310	293	140	54	10	-	807	1,599
	5	42	26	16	2	-	-	86	300
	6	2	1	-	-	-	-	3	59
	7	-	-	-	-	-	-	-	5
<b>TOTAL----</b>		<b>2,535</b>	<b>2,641</b>	<b>1,766</b>	<b>313</b>	<b>36</b>	<b>1</b>	<b>7,292</b>	<b>12,862</b>
33	1-2	325	377	391	66	16	24	1,199	1,970
	3	6,098	6,140	4,814	925	230	79	18,286	27,677
	4	2,848	3,069	2,247	474	125	26	8,789	13,029
	5	467	403	307	60	12	2	1,251	2,347
	6	57	43	35	11	2	-	148	429
	7	3	-	5	-	-	-	8	71
<b>TOTAL----</b>		<b>9,798</b>	<b>10,032</b>	<b>7,799</b>	<b>1,536</b>	<b>385</b>	<b>131</b>	<b>29,681</b>	<b>45,523</b>
43	1-2	96	58	36	5	3	4	202	475
	3	7,418	5,509	2,745	418	140	47	16,277	29,002
	4	8,368	8,879	5,593	825	168	92	23,925	33,942
	5	1,120	1,303	927	167	29	56	3,602	5,554
	6	175	211	128	26	3	17	560	1,203
	7	45	40	12	1	-	4	102	308
<b>TOTAL----</b>		<b>17,222</b>	<b>16,000</b>	<b>9,441</b>	<b>1,442</b>	<b>343</b>	<b>220</b>	<b>44,668</b>	<b>70,484</b>
53	1-2	7	1	8	-	-	-	16	25
	3	720	607	262	22	5	2	1,618	2,712
	4	1,909	1,964	1,098	171	24	1	5,167	7,080
	5	499	721	523	90	12	-	1,845	2,575
	6	104	112	99	3	2	1	321	520
	7	11	33	26	3	-	-	73	124
<b>TOTAL----</b>		<b>3,250</b>	<b>3,438</b>	<b>2,016</b>	<b>289</b>	<b>43</b>	<b>4</b>	<b>9,040</b>	<b>13,036</b>
63	1-2	1	2	2	-	-	-	5	6
	3	12	21	9	1	1	1	45	62
	4	96	129	203	52	-	-	480	539
	5	35	59	112	11	-	-	217	238
	6	10	2	9	1	-	-	22	39
	7	1	1	9	-	-	-	11	15
<b>TOTAL----</b>		<b>155</b>	<b>214</b>	<b>344</b>	<b>65</b>	<b>1</b>	<b>1</b>	<b>780</b>	<b>899</b>
24-54	1-7	4,176	3,597	2,239	412	61	45	10,530	18,131
25-35	1-7	17	20	1	1	-	-	39	45
81-85 1/	1-7	578	369	213	41	1	1	1,203	2,153
All Colors	8 2/	214	245	210	49	1	-	719	2,104
<b>TOTAL, ALL-----</b>		<b>5,166,813</b>	<b>4,608,482</b>	<b>3,106,035</b>	<b>741,461</b>	<b>243,388</b>	<b>83,678</b>	<b>13,949,857</b>	<b>20,192,234</b>
EXTRANEIOUS MATTER		Average Staple -----							35.2
		Percent Tenderable -----							70.6
Bark - Level 1		1,131,067							
Bark - Level 2		127							
Grass - Level 1		98,114							
Grass - Level 2		1,186							
Prep - Level 1		25,886							
Prep - Level 2		247							
Other - Level 1		8,546							
Other - Level 2		33							

20,192,234 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	*	0.1	0.3	0.6	1.0	1.5	1.4	0.4	0.2	*	5.6
	3	-	*	*	*	0.1	0.2	0.6	1.2	2.2	3.0	3.4	1.0	0.3	0.1	12.0
	4	-	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.0
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	TOTAL----	*	*	*	*	0.1	0.4	0.9	1.9	3.4	4.8	5.1	1.4	0.4	0.1	18.7
31	1-2	*	*	*	*	*	0.1	0.2	0.4	0.4	0.4	0.3	0.1	0.1	*	2.2
	3	*	*	*	*	0.2	1.0	3.1	6.2	6.8	4.9	3.2	0.9	0.4	0.2	26.8
	4	-	*	*	*	*	0.2	0.6	1.5	2.8	2.8	1.8	0.4	0.1	*	10.4
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	*	0.8
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.2	1.3	4.0	8.2	10.2	8.3	5.6	1.6	0.6	0.3	40.2
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	0.1	0.5	1.7	3.7	4.2	2.4	0.8	0.1	*	*	13.4
	4	-	*	*	*	*	0.3	1.0	2.9	5.4	5.0	2.4	0.3	*	*	17.3
	5	-	*	*	*	*	0.1	0.2	0.3	0.6	0.8	0.5	0.1	*	*	2.7
	6	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.1	0.8	2.9	7.0	10.2	8.2	3.9	0.5	0.1	*	33.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.1
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.4	0.6	0.5	0.3	*	*	*	2.0
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
	4	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.4
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	1.2
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	*	*	*	2.1
52	1-2	-	-	*	-	*	*	*	*	*	*	*	-	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2

\* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	-	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	*	-	*	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		*	*	*	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
53	1-2	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	*	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL, ALL-----</b>		*	*	*	0.1	0.7	2.9	8.7	18.5	25.6	22.8	15.4	3.7	1.2	0.4	100.0
<b>EXTRANEEOUS MATTER</b>																
Bark - Level 1		5.6														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

20,192,234 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	3	-	-	*	*	0.1	0.4	0.6	0.9	0.7	0.2	*	*	*	-	3.1
	4	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	*	*	<b>0.2</b>	<b>0.6</b>	<b>0.9</b>	<b>1.3</b>	<b>0.9</b>	<b>0.3</b>	<b>0.1</b>	*	*	-	<b>4.3</b>
31	1-2	-	-	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	*	0.1	0.9	3.7	8.4	11.7	7.8	2.4	0.5	*	*	-	35.6
	4	-	*	*	*	0.2	0.7	1.6	2.7	2.6	1.1	0.3	*	*	-	9.3
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	*	*	<b>0.1</b>	<b>1.2</b>	<b>4.8</b>	<b>10.8</b>	<b>15.1</b>	<b>10.7</b>	<b>3.7</b>	<b>0.8</b>	*	*	*	<b>47.2</b>
41	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	*	*	0.1	0.6	2.4	5.7	7.3	4.4	1.3	0.2	*	-	-	22.0
	4	-	-	*	0.1	0.4	1.1	2.8	4.3	3.6	1.5	0.5	*	*	-	14.3
	5	-	-	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	<b>TOTAL----</b>	-	*	*	<b>0.2</b>	<b>1.0</b>	<b>3.7</b>	<b>8.9</b>	<b>12.1</b>	<b>8.4</b>	<b>3.1</b>	<b>0.8</b>	<b>0.1</b>	*	-	<b>38.3</b>
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	-	-	-	0.6
	4	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.4</b>	<b>0.4</b>	<b>0.2</b>	<b>0.1</b>	*	*	-	-	<b>1.4</b>
61	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	4	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	*	-	-	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	-	0.3
	4	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	*	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	*	*	*	*	-	-	-	<b>0.5</b>
32	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	0.1	0.4	0.7	0.6	0.4	0.2	*	*	*	*	-	2.4
	4	-	*	*	*	0.2	0.4	0.4	0.2	0.1	*	*	*	*	-	1.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	*	*	<b>0.1</b>	<b>0.6</b>	<b>1.2</b>	<b>1.0</b>	<b>0.6</b>	<b>0.3</b>	<b>0.1</b>	*	*	*	-	<b>4.0</b>
42	1-2	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	-	1.4
	4	-	*	*	*	0.2	0.3	0.4	0.4	0.2	0.1	*	*	-	-	1.7
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	<b>TOTAL----</b>	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>0.7</b>	<b>0.9</b>	<b>0.7</b>	<b>0.4</b>	<b>0.1</b>	*	*	*	-	<b>3.3</b>
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	*	*	*	*	*	*	*	-	-	<b>0.1</b>

\* Less than 0.05 percent.

Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL-----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	*	*	*	*	*	-	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	-	*	-	-	-	-	-	*
	4	-	-	*	*	*	*	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL-----		-	-	*	*	*	0.1	*	*	*	*	*	*	*	-	0.3
43	1-2	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*
TOTAL-----		-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL-----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	*	0.1	0.6	3.8	11.6	23.2	30.4	21.1	7.4	1.8	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.3															
Bark - Level 2	"															
Grass - Level 1	0.7															
Grass - Level 2	"															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

668,579 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.8	6.5	11.6	11.6	2.7	0.6	0.1	35.0
	3	-	-	-	-	*	*	0.1	0.6	2.4	5.5	7.5	2.4	0.7	0.1	19.3
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	0.3	2.5	9.0	17.3	19.3	5.2	1.3	0.1	55.1
31	1-2	-	-	-	-	*	*	0.1	0.7	2.9	4.7	4.0	0.9	0.2	*	13.6
	3	-	-	-	-	*	*	0.1	0.7	3.0	6.3	7.0	2.3	0.7	0.1	20.1
	4	-	-	-	-	*	*	0.1	0.4	0.6	0.8	0.9	0.4	0.1	*	3.4
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
<b>TOTAL----</b>		-	-	-	-	*	*	0.3	1.9	6.5	11.8	12.0	3.7	1.0	0.1	37.5
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	4	-	-	-	-	*	*	0.1	0.4	0.5	0.3	0.2	*	*	*	1.5
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	-	-	-	*	*	0.2	0.7	0.9	0.6	0.4	0.1	*	*	3.1
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	0.1	0.4	0.3	0.1	*	-	-	-	1.0
	3	-	-	-	-	-	*	*	0.2	0.3	0.1	*	*	*	-	0.6
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	0.2	0.7	0.7	0.2	*	*	-	1.8
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	*	*	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	-	1.0
42	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	*	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1

\* Less than 0.05 percent.

Table 4. -- **Arizona** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEIOUS MATTER																
Bark - Level 1	4.4															
Bark - Level 2	"															
Grass - Level 1	0.2															
Grass - Level 2	"															
Prep - Level 1	"															
Prep - Level 2	-															
Other - Level 1	0.3															
Other - Level 1	*															

Average Staple 36.3  
Percent Tenderable 74.3

519,166 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.4
	3	-	-	-	-	-	-	0.1	0.3	0.6	0.4	0.2	-	-	-	1.6
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.4	0.8	0.6	0.2	-	-	-	2.1
31	1-2	-	-	-	-	-	-	0.1	0.3	0.3	0.1	-	-	-	-	0.8
	3	-	-	-	-	-	0.1	0.8	4.6	9.7	7.6	2.7	0.1	-	-	25.7
	4	-	-	-	-	-	-	0.2	1.3	4.9	5.6	2.3	0.1	-	-	14.4
	5	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.2	1.1	6.2	15.0	13.5	5.0	0.2	-	-	41.3
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.7	3.1	5.9	4.2	1.2	-	-	-	15.3
	4	-	-	-	-	-	0.1	0.6	3.4	11.3	11.6	3.9	0.2	-	-	31.3
	5	-	-	-	-	-	-	0.1	0.4	1.0	1.4	0.7	0.1	-	-	3.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.2	1.5	7.0	18.3	17.3	5.8	0.3	-	-	50.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.4
	4	-	-	-	-	-	-	-	0.1	0.5	0.6	0.2	-	-	-	1.5
	5	-	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.3	0.8	0.9	0.3	-	-	-	2.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.4
	4	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	0.2	0.1	-	-	-	-	0.5
	4	-	-	-	-	-	0.1	0.1	0.3	0.4	0.3	0.1	-	-	-	1.4
	5	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.1	0.2	0.5	0.7	0.5	0.2	-	-	-	2.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2

\* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
<b>TOTAL</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	0.1	*	*	-	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
<b>TOTAL</b>		-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
<b>TOTAL</b>		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	*	-	-	-	*	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
<b>TOTAL</b>		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL, ALL</b>		-	-	-	*	0.1	0.6	3.2	14.7	36.0	33.1	11.7	0.6	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

2,417,026 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.3	0.8	2.2	4.2	5.9	4.0	3.1	1.2	21.7
	3	-	-	-	-	*	*	0.1	0.3	0.8	2.7	6.2	3.0	1.8	1.2	16.0
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.3</b>	<b>1.1</b>	<b>3.0</b>	<b>6.9</b>	<b>12.2</b>	<b>7.1</b>	<b>4.9</b>	<b>2.5</b>	<b>38.0</b>
31	1-2	-	-	-	-	*	*	0.2	0.6	1.6	2.3	3.1	2.5	2.7	1.3	14.4
	3	-	-	-	-	*	*	0.1	0.4	1.3	4.5	10.1	7.6	6.6	4.1	34.6
	4	-	-	-	-	-	-	*	0.1	0.2	0.4	1.7	1.2	0.7	0.4	4.8
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.3</b>	<b>1.1</b>	<b>3.0</b>	<b>7.3</b>	<b>15.1</b>	<b>11.5</b>	<b>10.1</b>	<b>5.8</b>	<b>54.1</b>
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.6	0.6	0.3	2.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.3	0.3	0.1	1.9
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.1	0.1	*	0.8
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.3</b>	<b>0.6</b>	<b>0.9</b>	<b>1.5</b>	<b>1.1</b>	<b>1.0</b>	<b>0.5</b>	<b>5.9</b>
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	*	<b>0.2</b>
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	*	*	<b>0.1</b>
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.9</b>
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.5</b>
52	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	*	*	<b>0.1</b>

\* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY		STAPLE														
COLOR	LEAF	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL		-	-	-	-	*	0.1	0.7	2.5	6.7	15.4	29.2	20.0	16.4	9.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		"														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														
		Average Staple 37.4														
		Percent Tenderable 92.9														

778,393 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	*	*	0.2	0.6	0.7	0.4	0.1	-	-	-	2.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	0.1	0.3	0.8	0.9	0.5	0.1	-	-	-	2.6
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.3	3.0	12.7	17.4	5.9	1.2	*	-	-	40.4
	4	-	-	-	-	*	*	0.2	1.5	3.2	2.1	0.6	*	-	-	7.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	0.3	3.4	14.6	20.8	8.0	1.8	*	-	-	48.9
41	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.2	3.0	11.7	12.9	3.1	0.5	*	-	-	31.5
	4	-	-	-	-	*	*	0.7	3.5	6.9	2.7	0.5	*	-	-	14.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	0.3	3.8	15.4	19.9	5.9	1.1	*	-	-	46.4
51	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	*	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
42	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	-	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	*	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	*	*	0.1	0.8	7.7	31.4	42.2	14.7	3.0	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.9															Average Staple 34.7
Bark - Level 2	-															Percent Tenderable 79.3
Grass - Level 1	0.4															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

148,120 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 8. — *Georgia*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.1	0.5	0.8	0.5	0.1	*	*	-	-	2.0
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	0.6	0.9	0.6	0.1	*	*	-	-	2.4
31	1-2	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	*	-	-	1.0
	3	-	-	*	*	0.3	1.7	7.1	14.8	11.4	3.5	0.6	*	*	-	39.4
	4	-	-	*	*	*	0.1	0.5	1.6	2.4	1.5	0.5	*	*	*	6.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.3	2.0	7.9	16.8	14.0	5.0	1.1	*	*	*	47.2
41	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	0.2	1.1	5.0	10.4	8.4	2.5	0.4	*	*	*	28.1
	4	-	-	*	*	0.1	0.3	1.7	4.8	6.3	3.2	1.0	*	*	-	17.4
	5	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.2	*	*	-	1.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.2	1.5	6.8	15.5	15.1	6.0	1.7	0.1	*	*	46.9
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.4	0.6	0.5	0.2	0.1	*	*	-	1.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
42	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1

\* Less than 0.05 percent.

Table 8. — **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	*	*	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	*	*	-	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	*	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	*	*	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	*	-	*	*	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL, ALL-----</b>		-	*	*	0.1	0.6	4.0	16.0	34.2	30.4	11.6	2.9	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.7															
Bark - Level 2	"															
Grass - Level 1	0.4															
Grass - Level 2	"															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

2,283,306 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.5	0.5	0.3	0.1	*	*	*	-	1.5
	3	-	*	*	*	0.2	0.4	1.3	1.9	2.6	1.0	0.4	0.1	*	*	8.0
	4	-	*	*	*	0.1	0.2	0.4	0.4	0.9	0.4	0.1	*	-	-	2.5
	5	-	*	-	-	*	*	0.1	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	0.1	0.2	0.7	2.3	2.9	3.8	1.6	0.5	0.1	*	*	12.2
31	1-2	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	3	-	*	*	0.1	0.5	1.4	2.9	4.1	4.5	3.0	1.8	0.3	*	-	18.8
	4	-	*	0.1	0.3	1.0	2.7	6.0	3.6	3.6	2.2	1.1	0.3	*	-	20.9
	5	-	*	*	*	0.4	1.4	5.2	3.2	1.4	0.9	0.3	0.1	*	-	13.1
	6	-	-	*	*	*	0.2	0.7	0.6	0.2	0.2	*	*	*	-	1.9
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	*	0.1	0.5	1.9	5.8	15.0	11.8	9.9	6.5	3.4	0.7	*	-	55.6
41	1-2	-	-	-	*	*	-	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.2	0.4	0.4	0.3	0.2	0.1	*	-	-	1.7
	4	-	*	*	0.1	0.1	0.4	0.9	1.0	1.0	0.7	0.3	*	-	-	4.5
	5	-	*	*	0.2	0.4	0.9	1.6	1.5	0.9	0.7	0.2	*	*	-	6.4
	6	-	*	*	0.1	0.2	0.6	1.0	0.9	0.3	0.3	*	*	*	-	3.5
	7	-	-	-	*	*	0.2	0.3	0.2	*	*	*	*	-	-	0.8
TOTAL----		-	*	*	0.4	0.8	2.3	4.3	3.9	2.6	1.9	0.6	0.1	*	-	17.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	-	-	*	0.2	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	*	*	0.1	*	*	-	*	-	-	-	-	0.1
TOTAL----		-	-	-	*	*	0.1	*	*	*	*	-	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	0.1	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	*	0.1	0.3	0.2	0.1	*	0.1	0.1	*	*	1.1
	4	-	-	*	*	*	*	0.1	*	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.2	0.4	0.3	0.3	0.1	0.1	0.1	*	*	1.6
32	1-2	-	-	-	-	-	-	*	*	0.1	-	-	-	-	-	0.2
	3	-	-	*	*	*	0.1	0.3	0.4	0.8	0.7	0.5	0.2	*	*	3.1
	4	-	-	*	*	*	0.1	0.3	0.3	0.5	0.3	0.2	0.1	*	*	1.9
	5	-	-	*	*	0.1	0.1	0.2	0.1	0.2	0.1	0.1	*	*	-	1.0
	6	-	-	-	*	*	*	0.2	*	*	*	*	*	*	-	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	0.1	0.1	0.4	0.9	0.8	1.6	1.2	0.8	0.4	0.1	*	6.6
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	-	0.6
	5	-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	*	-	0.8
	6	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.6
	7	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	-	0.3
TOTAL----		-	*	*	*	0.1	0.3	0.5	0.4	0.5	0.5	0.3	0.1	*	-	2.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	-	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1

\* Less than 0.05 percent.

Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	-	1.0
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	0.1	0.2	0.3	0.3	0.3	0.3	0.2	0.1	*	-	1.8
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	*	*	0.1	0.1	0.2	0.2	0.2	0.2	*	*	-	1.0
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	0.1	0.1	*	0.1	0.1	*	*	-	0.5
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
All Colors	8 2/	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	*	*	-	0.6
TOTAL, ALL-----		-	0.1	0.2	1.2	3.5	10.2	24.2	20.8	19.3	12.4	6.2	1.7	0.3	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.1
Bark - Level 1		Percent Tenderable														45.4
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

112,333 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.1	0.3	0.7	0.6	0.3	0.1	*	*	-	-	2.0
	3	-	-	-	*	0.1	0.5	1.4	1.8	1.0	0.4	0.1	*	-	-	5.4
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	*	<b>0.1</b>	<b>0.8</b>	<b>2.2</b>	<b>2.5</b>	<b>1.3</b>	<b>0.5</b>	<b>0.1</b>	*	*	-	<b>7.5</b>
31	1-2	-	-	-	*	0.1	0.3	0.9	0.8	0.3	0.1	*	*	-	-	2.4
	3	-	-	-	*	0.4	3.4	11.2	15.2	9.2	3.3	0.7	*	*	-	43.6
	4	-	-	-	*	*	0.3	1.2	2.5	2.7	1.5	0.5	*	*	-	8.8
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
<b>TOTAL</b>		-	-	-	*	<b>0.6</b>	<b>4.1</b>	<b>13.3</b>	<b>18.6</b>	<b>12.3</b>	<b>5.0</b>	<b>1.3</b>	<b>0.1</b>	*	-	<b>55.2</b>
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	0.1	0.8	3.4	5.4	3.4	1.1	0.2	*	*	-	14.3
	4	-	-	-	*	*	0.3	1.5	3.6	4.1	2.2	0.7	0.1	*	-	12.5
	5	-	-	-	*	*	0.1	0.1	0.3	0.5	0.4	0.2	0.1	*	*	1.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
<b>TOTAL</b>		-	-	-	*	<b>0.2</b>	<b>1.2</b>	<b>5.1</b>	<b>9.4</b>	<b>8.0</b>	<b>3.7</b>	<b>1.2</b>	<b>0.1</b>	*	*	<b>28.8</b>
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	4	-	-	-	*	*	*	0.1	0.4	0.5	0.2	0.1	*	-	*	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL</b>		-	-	-	*	*	*	<b>0.2</b>	<b>0.7</b>	<b>0.7</b>	<b>0.3</b>	<b>0.2</b>	*	*	*	<b>2.2</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
<b>TOTAL</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	<b>0.1</b>
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
<b>TOTAL</b>		-	-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.5</b>	<b>0.4</b>	<b>0.2</b>	*	*	*	-	<b>1.5</b>
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	4	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	1.4
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL</b>		-	-	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>0.7</b>	<b>0.7</b>	<b>0.4</b>	<b>0.1</b>	*	*	*	<b>2.4</b>
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
<b>TOTAL</b>		-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	*	-	<b>0.3</b>

\* Less than 0.05 percent.

Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	1.0
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	*	0.9	6.4	21.8	33.1	24.1	10.4	3.0	0.3	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.2
		Percent Tenderable														69.5
Bark - Level 1	0.1															
Bark - Level 2	-															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,256,997 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 11. — *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	*	*	0.1	0.5	1.1	1.5	1.0	0.3	*	*	-	-	4.6
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.8	1.7	2.0	1.2	0.4	*	*	-	-	6.3
31	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	-	-	-	1.6
	3	-	-	*	*	0.4	2.5	6.3	9.0	6.5	2.2	0.4	*	*	-	27.3
	4	-	-	-	*	0.1	0.5	1.7	3.5	3.8	1.8	0.4	*	*	*	11.9
	5	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.5	3.4	8.5	13.1	10.7	4.2	0.9	*	*	*	41.4
41	1-2	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	*	*	0.2	1.4	3.5	4.7	2.9	0.8	0.2	*	*	-	13.8
	4	-	-	*	*	0.1	1.1	3.6	7.2	7.1	3.1	0.7	0.1	*	*	23.0
	5	-	-	*	*	*	0.3	0.7	1.2	1.4	0.8	0.3	*	*	-	4.8
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.4	2.8	8.0	13.3	11.6	4.8	1.2	0.1	*	*	42.3
51	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
	5	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	0.2	0.4	0.5	0.4	0.2	*	*	*	-	1.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.1	*	*	*	*	*	-	-	-	0.2
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	-	1.3
	4	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	-	1.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.5	0.7	0.7	0.4	0.1	*	*	-	-	2.5
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	4	-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	*	*	-	-	2.6
	5	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.6	1.1	1.4	0.9	0.3	*	*	-	-	4.6
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

\* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	-	-	-	*	-	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	*	0.2
43	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
53	1-2	-	-	-	*	*	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	-	-	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL----		-	-	*	0.1	1.4	8.5	20.8	31.4	25.5	10.0	2.3	0.1	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.1
		Percent Tenderable														63.2
Bark - Level 1	0.2															
Bark - Level 2	-															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

2,029,373 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 12. — **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
31	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	*	*	*	0.4	3.1	6.5	3.9	0.3	*	-	14.2
	4	-	-	-	-	*	*	*	0.1	1.3	4.3	3.5	0.2	*	*	9.4
	5	-	-	-	*	*	*	-	*	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	*	*	*	*	0.6	4.4	11.0	7.5	0.5	*	*	24.0
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	0.9	5.2	9.5	5.0	0.3	*	*	21.0
	4	-	-	-	-	*	*	*	0.5	4.7	16.0	14.4	1.7	0.2	*	37.5
	5	-	-	-	-	-	-	*	*	0.2	1.1	1.8	0.3	*	*	3.4
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
<b>TOTAL</b>		-	-	-	-	*	*	0.1	1.4	10.2	26.6	21.3	2.3	0.2	*	62.1
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	-	1.4
	4	-	-	-	-	-	*	*	0.1	0.5	1.6	1.1	0.1	-	-	3.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
<b>TOTAL</b>		-	-	-	-	-	*	*	0.2	1.0	2.4	1.6	0.2	*	*	5.3
61	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
<b>TOTAL</b>		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL</b>		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	-	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	*	-	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
<b>TOTAL</b>		-	-	-	*	-	*	*	0.2	0.3	0.3	*	*	*	*	0.9
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	-	1.5
	4	-	-	-	-	-	*	*	0.1	0.6	1.4	0.8	0.1	*	*	3.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
<b>TOTAL</b>		-	-	-	-	-	*	*	0.2	1.2	2.1	1.2	0.1	*	*	4.9
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
<b>TOTAL</b>		-	-	-	-	-	*	*	*	0.2	0.4	0.2	*	-	-	0.8

\* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.4	0.3	*	*	*	0.9
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL, ALL----		-	-	-	*	*	*	0.1	2.6	17.6	43.7	32.5	3.2	0.3	*	100.0
EXTRANEEOUS MATTER		Average Staple														36.2
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.6														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

993,966 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 13. — *New Mexico* : Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.2	1.1	4.6	5.8	1.4	0.2	*	13.3
	3	-	-	-	-	-	-	-	0.2	0.8	2.8	7.5	3.6	1.0	0.1	16.0
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.3	0.4	0.3	0.1	1.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.5	2.0	7.5	13.6	5.4	1.6	0.2	30.7
31	1-2	-	-	-	-	-	-	-	0.1	1.0	3.5	5.9	1.5	0.2	*	12.2
	3	-	-	-	-	-	-	*	0.6	2.0	7.2	18.6	9.1	2.6	0.3	40.4
	4	-	-	-	-	-	-	*	0.3	0.5	1.1	3.1	2.7	1.7	0.6	10.0
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.3	0.1	0.1	1.0
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	1.0	3.6	12.0	27.8	13.5	4.6	1.0	63.6
41	1-2	-	-	-	-	-	-	-	*	*	*	0.1	0.1	-	-	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.4	0.2	*	1.9
	4	-	-	-	-	-	-	*	*	0.2	0.8	0.6	0.6	0.4	0.1	2.7
	5	-	-	-	-	-	-	-	*	*	0.2	0.2	0.2	0.1	*	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	0.1	0.4	1.5	1.6	1.3	0.6	0.1	5.6
51	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*

\* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 ■ 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL-----</b>		-	-	-	-	-	*	0.1	1.6	6.0	21.0	43.0	20.2	6.8	1.3	100.0
<b>EXTRANEEOUS MATTER</b>																
Bark - Level 1	2.1															Average Staple 37.0
Bark - Level 2	-															Percent Tenderable 75.8
Grass - Level 1	0.6															
Grass - Level 2	"															
Prep - Level 1	"															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 2	-															

39,267 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 14. — **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	0.1	*	*	-	*	-	0.2
	4	-	-	-	-	*	-	-	-	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	*	0.1	0.6	2.5	4.2	2.6	0.7	0.1	*	*	10.7
	4	-	-	-	*	*	*	0.1	0.9	2.2	1.9	0.7	0.1	*	*	6.0
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	*	*	*	0.1	0.8	3.5	6.5	4.7	1.5	0.2	*	*	17.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.2	1.6	6.8	11.2	6.1	1.3	0.1	*	*	27.2
	4	-	-	-	*	*	0.1	1.0	5.7	14.3	12.7	4.3	0.5	*	*	38.5
	5	-	-	-	-	*	*	0.1	0.7	2.0	2.4	1.3	0.3	*	*	6.8
	6	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	0.3	2.7	13.2	27.6	21.4	7.0	0.9	0.1	*	73.3
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
	4	-	-	-	*	*	*	0.1	0.5	1.1	0.8	0.2	*	-	-	2.8
	5	-	-	-	-	*	*	*	0.2	0.4	0.3	0.2	*	*	*	1.1
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	7	-	-	-	-	*	-	*	*	*	*	*	*	-	-	0.1
<b>TOTAL----</b>		-	-	-	*	*	*	0.3	1.1	1.9	1.4	0.5	0.1	*	*	5.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
42	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	*	1.4
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	0.2	0.5	0.9	0.7	0.3	*	*	*	2.6
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3

\* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
53	1-2	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	*	*	*	0.5	4.1	18.6	37.5	28.6	9.4	1.2	0.1	*	100.0
EXTRANEEOUS MATTER		Average Staple														35.2
		Percent Tenderable														84.1
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		0.3														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,257,497 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 15. -- *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.3	0.9	2.2	3.5	4.7	1.2	0.1	*	12.9
	3	-	-	-	*	0.1	0.2	0.4	1.1	2.5	3.2	4.2	1.4	0.2	*	13.3
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.3	0.7	2.1	4.8	7.0	9.1	2.6	0.3	*	27.1
31	1-2	-	-	*	*	*	0.1	0.2	0.6	1.0	1.7	2.1	0.5	*	*	6.3
	3	-	*	*	0.1	0.3	0.7	1.5	3.0	5.0	7.2	11.0	3.8	0.5	*	33.1
	4	-	*	*	0.1	0.3	0.5	1.0	1.5	2.0	2.1	1.9	0.6	0.1	*	10.2
	5	-	*	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	*	*	1.7
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	TOTAL----	-	*	*	0.2	0.6	1.4	2.9	5.5	8.3	11.3	15.3	4.9	0.7	*	51.3
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	0.1	0.1	0.2	0.4	0.6	0.6	0.5	0.1	*	-	2.7
	4	-	*	*	0.1	0.2	0.4	0.6	0.8	0.9	0.9	0.6	0.1	*	*	4.7
	5	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.5	0.4	0.1	*	*	2.8
	6	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----	-	*	*	0.1	0.4	0.8	1.3	1.8	2.1	2.2	1.8	0.3	0.1	*	11.0
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	-	-	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.6
	3	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	-	1.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	*	-	*	-	-	*	*	*	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.1	0.1	0.3	0.3	0.4	0.3	0.3	*	*	-	1.9
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	0.1	0.2	0.3	0.4	0.4	0.2	*	*	*	1.8
	4	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.2	0.1	*	*	-	1.2
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	-	*	-	-	-	-	*
	TOTAL----	-	*	*	*	0.1	0.3	0.4	0.6	0.8	0.7	0.4	0.1	*	*	3.5
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	*	*	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	*	0.9
	5	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	-	-	0.7
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	*	*	*	0.1	0.3	0.4	0.4	0.4	0.4	0.2	*	*	*	2.2
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2

\* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	*	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	-	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	-	*	*	*	*	*	*	*	0.1	*	*	-	0.3
33	1-2	-	-	-	*	*	*	*	-	*	*	*	-	*	-	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	*	*	*	*	*	*	0.1	0.1	-	*	*	*	*	0.3
	5	-	*	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	1.0
43	1-2	-	-	*	*	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	-	0.1	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	-	0.1	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	*	0.1
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
53	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	*	*	*	*	*	*	*	-	*	-	-	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	-	-	-	-	*	-	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL, ALL-----		-	*	0.1	0.5	1.6	3.5	6.5	11.2	17.4	22.5	27.4	8.1	1.1	0.1	100.0
EXTRANEEOUS MATTER		Average Staple														35.6
Bark - Level 1		8.3														62.7
Bark - Level 2		*														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

181,147 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 16. -- *South Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
31	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.4	1.5	4.1	7.3	4.6	0.9	*	*	-	18.9
	4	-	-	-	*	*	0.1	0.3	0.8	1.8	1.9	0.7	0.1	*	*	5.7
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.5	1.9	5.1	9.2	6.6	1.6	0.2	*	*	25.1
41	1-2	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.1
	3	-	-	*	*	*	0.3	1.8	7.5	14.1	7.2	1.5	0.1	*	*	32.5
	4	-	-	-	*	*	0.2	1.2	4.5	10.2	8.5	3.5	0.7	0.1	*	28.8
	5	-	-	-	*	*	0.1	0.2	0.6	1.2	1.1	0.8	0.3	*	*	4.4
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.1	0.6	3.2	12.8	25.7	16.9	5.9	1.0	0.1	*	66.2
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.4	0.4	0.1	*	*	*	-	1.1
	4	-	-	-	-	*	*	0.2	0.7	1.0	0.6	0.3	*	*	*	2.8
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.5	1.3	1.7	1.0	0.5	0.1	*	*	5.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.5
42	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.4	0.6	0.4	0.1	*	-	-	1.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	*	0.2

\* Less than 0.05 percent.

Table 16. -- **South Carolina** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
<b>TOTAL, ALL-----</b>		-	-	*	*	0.1	1.2	5.8	20.0	37.7	25.3	8.3	1.3	0.1	*	100.0
<b>EXTRANEIOUS MATTER</b>																
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		0.7														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

402,245 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 17. — *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	3	-	-	-	*	*	*	0.3	0.8	1.0	0.6	0.1	*	*	-	2.8
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.4</b>	<b>1.0</b>	<b>1.3</b>	<b>0.7</b>	<b>0.1</b>	*	*	-	<b>3.6</b>
31	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	3	-	-	*	*	*	0.5	2.7	8.1	10.7	6.0	1.5	*	*	-	29.6
	4	-	-	-	*	*	0.1	0.6	2.8	6.4	6.0	2.1	0.1	*	*	18.2
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	<b>0.5</b>	<b>3.4</b>	<b>11.3</b>	<b>17.5</b>	<b>12.3</b>	<b>3.7</b>	<b>0.2</b>	*	*	<b>48.9</b>
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	1.1	3.3	4.6	3.3	1.1	*	*	-	13.6
	4	-	-	-	*	*	0.1	0.7	2.8	7.1	8.5	4.1	0.3	*	*	23.6
	5	-	-	-	-	*	*	*	0.2	0.6	1.2	0.8	0.1	*	*	2.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>1.9</b>	<b>6.3</b>	<b>12.4</b>	<b>13.0</b>	<b>5.9</b>	<b>0.4</b>	*	*	<b>40.2</b>
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.2	*	-	-	1.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.2</b>	<b>0.4</b>	<b>0.7</b>	<b>0.7</b>	<b>0.3</b>	*	*	*	<b>2.3</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	-	<b>0.1</b>
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	4	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>	<b>0.1</b>	*	*	*	<b>1.4</b>
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.5	0.4	*	*	-	1.5
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	<b>0.1</b>	<b>0.3</b>	<b>0.6</b>	<b>0.8</b>	<b>0.6</b>	<b>0.6</b>	*	*	-	<b>2.4</b>
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	-	-	-	<b>0.1</b>	<b>0.1</b>	*	*	*	*	<b>0.2</b>

\* Less than 0.05 percent.

Table 17. - *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.5
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
<b>TOTAL, ALL-----</b>		-	-	*	*	0.1	1.0	6.2	19.8	33.0	28.1	11.0	0.7	*	*	100.0
<b>EXTRANEEOUS MATTER</b>																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.5														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

Average Staple 35.2  
Percent Tenderable 76.2

1,310,889 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	0.1	0.3	0.6	1.3	2.5	3.4	2.9	0.5	0.1	*	11.7
	3	-	-	-	0.1	0.2	0.4	0.9	2.6	5.9	9.1	10.1	2.7	0.6	0.1	32.7
	4	-	-	-	*	*	*	0.1	0.2	0.5	0.9	1.0	0.3	0.1	*	3.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
<b>TOTAL----</b>		*	*	*	0.1	0.3	0.7	1.6	4.1	8.9	13.4	14.1	3.6	0.8	0.1	47.7
31	1-2	*	*	*	*	*	0.1	0.2	0.3	0.4	0.5	0.3	*	*	*	1.8
	3	*	*	*	*	0.1	0.4	1.1	2.7	4.5	5.7	5.9	1.7	0.4	*	22.4
	4	-	*	*	*	*	0.1	0.4	1.0	2.1	2.8	3.3	1.2	0.3	*	11.4
	5	-	*	*	*	*	*	0.1	0.1	0.3	0.4	0.5	0.1	*	*	1.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		*	*	*	*	0.2	0.6	1.7	4.1	7.3	9.4	10.0	3.1	0.7	0.1	37.3
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	0.2	0.4	0.5	0.5	0.4	0.1	*	*	2.0
	4	-	*	*	*	*	*	0.2	0.4	0.8	0.9	1.2	0.4	0.1	*	4.0
	5	-	*	*	*	*	*	0.1	0.1	0.2	0.4	0.5	0.2	*	*	1.5
	6	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL----</b>		*	*	*	*	*	0.1	0.4	1.0	1.6	1.9	2.1	0.6	0.1	*	8.0
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	*	0.2
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.8
61	1-2	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	3	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.3	0.2	*	*	*	1.3
	4	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		*	*	*	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.3	*	*	*	2.1
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
	4	*	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		*	*	*	*	*	0.1	0.1	0.3	0.4	0.4	0.3	0.1	*	*	1.8
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		-	*	*	*	*	*	0.1	0.1	0.3	0.2	0.2	*	*	*	1.0
52	1-2	-	-	*	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	-	-	*	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		*	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2

\* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	*	-	-	*	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	*	*	*	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	*	*	*	*	*	*	*	*	*	*	*	*	*	*	<b>0.2</b>
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	-	*	-	-	-	*
	<b>TOTAL----</b>	*	*	*	*	*	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	<b>0.4</b>
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	*	*	*	*	*	*	*	*	*	*	*	*	*	<b>0.2</b>
53	1-2	-	-	-	-	-	*	-	-	*	-	*	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	*	*	*	*	*	*	*	*	*	*	*	*	*	<b>0.1</b>
63	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	*	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL, ALL----</b>		*	*	<b>0.1</b>	<b>0.3</b>	<b>0.8</b>	<b>1.9</b>	<b>4.3</b>	<b>10.2</b>	<b>19.4</b>	<b>26.2</b>	<b>27.4</b>	<b>7.5</b>	<b>1.6</b>	<b>0.2</b>	<b>100.0</b>
EXTRANEEOUS MATTER																
Bark - Level 1		18.0														
Bark - Level 2		"														
Grass - Level 1		0.8														
Grass - Level 2		"														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		*														

5,652,481 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	-	-	<b>0.1</b>
31	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.9	2.4	2.4	1.2	0.1	*	-	7.1
	4	-	-	-	-	*	*	0.1	0.5	1.8	2.2	1.3	0.2	*	*	6.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.2</b>	<b>1.4</b>	<b>4.3</b>	<b>4.6</b>	<b>2.5</b>	<b>0.3</b>	*	*	<b>13.4</b>
41	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	1.0	4.9	9.8	7.2	3.0	0.3	*	-	26.4
	4	-	-	-	*	*	*	0.6	4.1	14.7	16.2	7.1	1.0	*	*	43.8
	5	-	-	-	-	-	*	0.1	0.4	1.7	2.6	1.3	0.1	*	*	6.2
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>1.7</b>	<b>9.5</b>	<b>26.4</b>	<b>26.0</b>	<b>11.6</b>	<b>1.5</b>	*	*	<b>76.8</b>
51	1-2	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	0.2	0.4	0.6	0.2	0.2	0.1	*	-	-	1.4
	4	-	-	-	*	*	0.1	0.6	1.3	0.8	0.2	0.2	*	-	-	3.0
	5	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>1.0</b>	<b>2.1</b>	<b>1.2</b>	<b>0.3</b>	*	*	-	<b>5.0</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.3</b>	<b>0.1</b>	*	-	-	<b>0.8</b>
42	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	-	-	1.0
	4	-	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	<b>0.2</b>	<b>0.6</b>	<b>1.2</b>	<b>1.1</b>	<b>0.3</b>	*	*	-	<b>3.5</b>
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	<b>0.1</b>	*	*	*	-	-	<b>0.2</b>


\* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
March 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	-	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	*	0.2	2.4	12.8	34.3	33.4	15.0	1.9	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	-															
Grass - Level 1	1.2															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

141,449 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through March 1, 2007

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>MIKE</b> 24  below	*	0.1	-	*	*	*	0.4	*	-
25	*	0.1	*	*	*	*	0.5	*	*
26	*	0.1	*	*	0.1	*	0.8	*	*
27	*	0.2	*	0.1	0.1	*	1.3	*	*
28	*	0.2	*	0.1	0.1	*	1.4	*	*
29	*	0.3	*	0.1	0.1	*	1.7	*	*
30	*	0.4	*	0.2	0.1	*	2.4	*	*
31	*	0.5	*	0.2	0.1	0.1	3.1	*	*
32	0.1	0.6	*	0.3	0.2	0.1	3.9	*	*
33	0.1	0.7	*	0.5	0.3	0.2	4.2	*	0.1
34	0.2	0.9	0.1	0.7	0.6	0.2	4.0	*	0.2
35	0.3	1.3	0.2	1.2	0.8	0.4	4.3	0.1	0.3
36	0.5	1.6	0.4	1.9	1.0	0.6	4.4	0.2	0.5
37	0.7	2.2	0.8	3.1	1.4	0.8	4.5	0.3	0.7
38	1.0	2.8	1.4	4.2	1.8	1.1	4.9	0.5	1.0
39	1.6	3.8	2.5	5.8	2.1	1.5	4.3	0.8	1.4
40	2.3	4.4	3.9	7.2	2.9	2.1	4.2	1.3	2.1
41	3.2	4.8	5.7	8.8	3.7	2.8	4.4	2.0	3.0
42	4.4	5.1	7.5	10.2	4.8	3.8	4.8	2.9	4.3
43	5.8	5.6	9.3	10.7	6.0	5.0	5.4	4.1	5.7
44	7.5	6.5	10.5	10.9	7.5	6.5	6.0	5.7	6.9
45	8.8	7.6	10.7	10.1	8.7	8.2	5.3	7.8	8.2
46	9.6	8.4	10.4	8.7	10.3	10.0	5.5	10.5	9.4
47	10.4	8.7	9.9	5.9	11.2	11.5	4.4	13.6	10.6
48	10.3	8.4	8.7	3.6	10.6	12.0	3.9	15.8	11.2
49	9.6	7.8	6.8	2.4	9.7	11.1	2.8	14.8	10.7
50	8.2	6.4	4.8	1.4	7.2	8.8	2.1	10.3	9.0
51	6.4	4.8	3.1	0.8	4.3	6.3	1.8	5.5	6.5
52	4.3	3.1	1.7	0.4	2.5	3.9	1.5	2.3	4.2
53	2.4	1.9	0.9	0.2	1.1	1.8	1.0	0.9	2.5
54	1.1	0.7	0.4	*	0.5	0.6	0.5	0.3	1.2
55	0.5	0.2	0.1	*	0.2	0.2	0.3	0.1	0.4
56	0.2	0.1	*	*	0.1	*	0.1	*	0.1
57	0.1	*	*	*	*	*	*	*	*
58	*	-	*	-	*	*	-	-	*
59	*	-	*	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>47</b>	<b>45</b>	<b>45</b>	<b>43</b>	<b>46</b>	<b>47</b>	<b>40</b>	<b>47</b>	<b>47</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	*	-	-
19	-	*	-	-	-	-	*	-	-
20	*	*	-	-	*	*	0.1	-	-
21	*	*	*	-	*	*	*	*	*
22	*	*	*	-	*	*	0.1	*	*
23	0.1	0.1	*	*	*	*	0.1	0.2	0.1
24	0.6	0.3	0.1	*	0.3	0.2	0.6	1.0	0.8
25	2.8	1.2	0.5	*	1.8	1.7	1.7	4.5	3.0
26	9.0	3.2	1.9	0.2	7.8	6.6	4.8	14.0	8.3
27	19.1	6.8	6.8	0.9	21.6	17.1	15.7	24.1	16.1
28	25.1	12.3	17.1	2.2	33.7	28.3	21.5	23.9	21.6
29	21.1	18.6	25.8	3.9	22.2	25.3	18.0	16.9	21.2
30	12.6	21.4	25.2	6.1	8.5	13.4	15.6	9.3	15.7
31	5.9	18.0	14.9	7.2	2.8	5.1	13.3	4.1	8.4
32	2.4	10.8	5.7	8.2	0.9	1.6	5.9	1.4	3.4
33	0.9	4.8	1.4	11.7	0.2	0.5	1.8	0.4	0.9
34	0.3	1.7	0.4	19.5	*	0.1	0.5	0.1	0.4
35	0.1	0.5	0.1	21.1	*	*	0.1	*	0.1
36 & above	*	0.1	*	18.8	*	*	*	*	*
<b>Average strength</b>	<b>28.3</b>	<b>29.8</b>	<b>29.4</b>	<b>33.5</b>	<b>28.1</b>	<b>28.4</b>	<b>28.9</b>	<b>27.8</b>	<b>28.5</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through  
March 1, 2007

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>MIKE</b> 24 & below	-	0.4	*	0.1	*	*	1.3	-	0.4
25	*	0.2	*	0.1	*	*	1.0	-	0.3
26	*	0.5	*	0.1	*	*	1.3	-	0.4
27	*	0.8	*	0.2	*	*	1.7	-	0.5
28	*	0.9	*	0.3	*	*	2.0	-	0.6
29	0.1	1.2	*	0.3	*	*	2.3	*	0.7
30	0.2	1.4	*	0.4	0.1	*	2.6	*	0.8
31	0.3	2.1	*	0.4	0.1	*	2.9	*	0.9
32	0.5	2.7	*	0.6	0.2	0.1	3.1	*	1.0
33	0.8	4.4	*	0.8	0.2	0.1	3.3	*	1.1
34	1.2	6.0	0.1	1.0	0.3	0.1	3.6	0.1	1.2
35	1.6	7.6	0.2	1.2	0.5	0.2	3.8	0.2	1.4
36	2.2	8.7	0.3	1.4	0.7	0.4	4.0	0.4	1.6
37	3.1	9.0	0.5	1.7	1.1	0.6	4.3	0.8	2.0
38	4.2	10.2	1.0	2.1	1.5	0.9	4.6	1.2	2.4
39	5.4	10.1	2.0	2.5	2.3	1.4	4.9	2.2	3.0
40	6.9	8.4	3.6	3.1	3.2	2.1	5.4	3.4	3.8
41	8.1	7.2	5.9	3.9	4.4	3.2	5.8	5.5	4.8
42	9.0	6.5	8.5	4.7	5.9	4.6	6.0	7.6	5.8
43	9.6	4.8	10.4	5.4	7.3	6.2	6.1	10.0	6.8
44	9.6	3.2	11.1	6.4	8.6	8.0	5.9	12.2	7.6
45	9.3	1.7	11.3	7.6	9.6	9.7	5.4	13.0	8.1
46	8.2	0.9	10.7	8.6	10.2	11.0	4.9	11.8	8.5
47	6.9	0.6	9.6	9.4	10.2	11.7	4.1	10.1	8.5
48	5.5	0.3	8.1	9.5	9.4	11.1	3.3	8.1	8.0
49	3.5	0.1	6.3	8.6	8.1	9.4	2.5	5.8	6.9
50	2.0	*	4.5	7.2	6.2	7.1	1.7	3.5	5.2
51	1.0	*	2.9	5.2	4.7	4.8	1.1	2.0	3.5
52	0.5	*	1.6	3.2	3.0	3.2	0.7	1.2	2.1
53	0.2	*	0.7	1.9	1.5	2.0	0.4	0.6	1.1
54	0.1	*	0.3	1.0	0.6	1.3	0.2	0.3	0.5
55	*	-	0.1	0.6	0.1	0.6	0.1	*	0.2
56	*	-	*	0.3	*	0.1	*	*	*
57	*	-	*	0.1	*	*	*	*	*
58	*	-	*	*	*	*	*	-	*
59	-	-	-	*	-	*	-	-	*
60 & above	-	-	-	*	-	-	*	-	*
<b>Average mike</b>	<b>43</b>	<b>38</b>	<b>45</b>	<b>45</b>	<b>46</b>	<b>46</b>	<b>39</b>	<b>45</b>	<b>46</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	*	-	-	*	-	*
18	-	-	-	*	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	*	-	-	*	-	*
21	-	*	-	*	-	-	0.1	-	*
22	*	*	*	0.1	*	*	0.2	*	0.1
23	*	0.2	*	0.2	*	*	0.6	*	0.2
24	0.1	1.0	0.1	0.6	0.2	*	1.5	0.1	0.7
25	0.3	3.3	0.5	1.5	0.9	0.3	3.3	0.4	2.0
26	1.6	6.5	2.3	3.4	3.2	1.3	6.3	1.6	5.4
27	5.8	8.7	7.8	6.2	9.0	4.7	10.2	5.7	11.2
28	15.0	13.1	17.0	10.3	18.8	12.4	13.9	14.2	17.6
29	25.2	17.6	24.2	12.9	25.2	23.0	16.7	23.5	20.5
30	27.0	18.5	21.4	13.7	21.5	26.3	17.5	23.5	18.1
31	16.4	12.9	13.9	13.7	12.5	18.5	14.7	15.9	12.0
32	6.3	8.9	7.6	12.4	5.7	8.9	9.0	8.7	6.2
33	1.8	5.5	3.6	10.0	2.2	3.3	3.9	4.4	2.8
34	0.4	2.6	1.3	7.3	0.6	1.0	1.4	1.7	1.6
35	0.1	1.1	0.2	4.4	0.1	0.2	0.4	0.3	1.0
36 & above	*	0.1	0.1	3.2	*	*	0.1	0.1	0.8
<b>Average strength</b>	<b>29.6</b>	<b>29.4</b>	<b>29.5</b>	<b>30.6</b>	<b>29.2</b>	<b>29.8</b>	<b>29.2</b>	<b>29.8</b>	<b>29.2</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 21. — Percentage distribution of uniformity and trash for upland cotton classed through March 1, 2007

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>UNIFORMITY 1/</b>									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	-	-	-
73.5-74.4	-	*	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	*	*	*	*	*
75.5-76.4	*	0.1	*	*	*	*	0.1	0.1	*
76.5-77.4	0.4	0.5	0.1	*	0.2	0.5	0.4	1.1	0.5
77.5-78.4	3.8	1.9	0.6	0.4	2.3	4.6	2.2	7.1	3.4
78.5-79.4	14.6	7.3	3.2	1.8	13.2	16.9	10.6	22.9	12.7
79.5-80.4	28.9	20.9	11.0	5.4	40.7	33.9	30.4	29.9	24.7
80.5-81.4	30.6	34.0	23.7	12.6	30.1	26.7	36.6	21.9	28.8
81.5-82.4	16.8	26.5	37.6	27.5	9.9	11.9	17.1	12.7	22.0
82.5-83.4	4.4	7.7	20.6	33.5	3.2	4.4	2.5	3.8	7.3
83.5-84.4	0.4	0.9	3.0	14.2	0.3	0.9	0.1	0.4	0.6
84.5-85.4	*	*	0.2	3.8	*	*	*	*	*
85.5-86.4	*	*	*	0.7	-	-	-	*	*
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>80.6</b>	<b>81.0</b>	<b>81.7</b>	<b>82.5</b>	<b>80.4</b>	<b>80.4</b>	<b>80.6</b>	<b>80.2</b>	<b>80.8</b>
<b>TRASH 2/</b>									
0.0	-	*	*	*	-	-	-	*	*
0.1	1.6	32.2	0.5	21.6	0.4	0.8	0.8	3.1	1.6
0.2	15.2	42.6	5.5	42.6	9.9	14.0	8.3	19.8	11.0
0.3	29.1	14.5	17.2	21.2	29.9	30.9	17.5	30.1	20.5
0.4	24.8	4.3	23.9	8.0	30.0	25.7	16.3	21.1	20.6
0.5	15.1	2.2	21.6	3.2	17.5	15.0	16.1	12.7	16.7
0.6	6.9	1.3	15.1	1.5	7.6	7.9	12.9	6.6	12.3
0.7	3.7	1.0	8.6	0.7	2.8	3.1	10.1	3.4	7.7
0.8	1.7	0.6	4.5	0.4	1.2	1.5	6.2	1.7	4.7
0.9	0.8	0.4	1.5	0.3	0.3	0.6	4.4	0.7	2.1
1.0	0.5	0.3	0.8	0.2	0.2	0.3	2.5	0.4	1.3
1.1	0.3	0.2	0.4	0.1	0.1	0.2	1.6	0.2	0.8
1.2	0.2	0.1	0.2	0.1	*	0.1	1.0	0.1	0.4
1.3	0.1	0.1	0.1	*	*	*	0.6	*	0.1
1.4	0.1	0.1	*	*	*	*	0.5	*	0.1
1.5	*	*	*	*	*	*	0.3	*	*
1.6	*	*	*	*	-	*	0.2	*	*
1.7	*	*	*	*	*	*	0.2	*	*
1.8 & above	*	*	*	*	*	*	0.7	*	*
<b>Average trash</b>	<b>0.39</b>	<b>0.22</b>	<b>0.48</b>	<b>0.24</b>	<b>0.40</b>	<b>0.39</b>	<b>0.54</b>	<b>0.37</b>	<b>0.47</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles ■■ measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 1, 2007

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>UNIFORMITY 1/</b>									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	*	-	*	-	-	*	-	*
75.5-76.4	-	*	-	0.2	-	-	0.3	-	0.1
76.5-77.4	*	0.2	*	0.9	*	*	1.1	*	0.5
77.5-78.4	0.1	1.5	0.2	3.2	0.8	0.1	3.6	*	2.7
78.5-79.4	0.5	7.5	1.5	9.1	5.5	0.6	9.8	0.5	9.0
79.5-80.4	3.0	16.5	6.9	19.3	19.3	3.7	20.9	3.4	18.9
80.5-81.4	14.0	32.4	21.0	28.5	35.0	15.6	30.4	14.6	25.6
81.5-82.4	36.0	26.9	36.6	24.8	28.2	35.6	24.3	37.2	25.6
82.5-83.4	37.3	12.5	27.1	11.6	9.7	33.3	8.4	35.2	14.2
83.5-84.4	8.7	2.3	6.4	2.3	1.4	10.2	1.1	8.5	3.1
84.5-85.4	0.6	0.1	0.4	0.2	0.1	0.9	0.1	0.6	0.3
85.5-86.4	*	-	*	-	*	*	*	*	*
86.5-87.4	-	-	*	-	-	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>82.3</b>	<b>81.2</b>	<b>82.0</b>	<b>81.0</b>	<b>81.2</b>	<b>82.3</b>	<b>80.9</b>	<b>82.3</b>	<b>81.2</b>
<b>TRASH 2/</b>									
0.0	-	-	-	*	-	-	*	-	*
0.1	0.1	11.4	*	11.0	0.1	0.4	7.2	*	4.4
0.2	3.5	37.9	2.0	29.2	5.1	7.3	26.2	1.2	16.5
0.3	14.4	27.6	11.7	24.9	20.9	19.9	25.3	9.0	22.5
0.4	22.9	12.0	19.8	13.0	24.2	24.1	16.5	18.5	20.0
0.5	23.2	6.1	23.3	8.9	21.0	20.4	10.4	24.6	15.2
0.6	17.1	2.8	18.0	5.1	13.3	13.5	6.1	20.4	9.8
0.7	10.2	1.2	11.4	3.2	7.4	7.6	3.6	13.2	5.6
0.8	5.2	0.5	6.4	1.7	3.9	3.9	2.0	7.1	3.0
0.9	1.7	0.2	3.1	1.1	1.9	1.4	1.1	3.1	1.3
1.0	0.9	0.1	1.7	0.6	1.0	0.8	0.6	1.4	0.7
1.1	0.4	0.1	1.0	0.4	0.6	0.4	0.4	0.8	0.4
1.2	0.2	*	0.6	0.3	0.3	0.2	0.2	0.4	0.2
1.3	0.1	*	0.3	0.2	0.1	0.1	0.1	0.1	0.1
1.4	*	*	0.2	0.1	0.1	*	0.1	0.1	0.1
1.5	*	*	0.1	0.1	*	*	*	*	*
1.6	*	*	0.1	*	*	*	*	*	*
1.7	*	*	*	*	*	*	*	*	*
1.8 & above	*	*	0.2	0.1	*	*	*	*	*
<b>Average trash</b>	<b>0.51</b>	<b>0.28</b>	<b>0.55</b>	<b>0.34</b>	<b>0.48</b>	<b>0.47</b>	<b>0.36</b>	<b>0.56</b>	<b>0.41</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. \* Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through March 1, 2007

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	7.5	1.3	*	0.1	1.3
	2	11.7	1.8	0.2	0.3	1.9
	3	*	*	*	-	*
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		19.3	3.2	0.3	0.5	3.2
02	1	4.7	2.6	*	0.9	2.5
	2	68.6	65.9	36.7	69.1	65.2
	3	1.6	13.7	40.6	5.0	13.8
	4	-	0.4	0.6	-	0.4
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		75.0	82.6	77.9	75.0	81.9
03	1	-	*	*	*	*
	2	2.1	4.6	2.5	18.0	5.3
	3	1.3	7.0	14.7	5.2	7.0
	4	0.1	1.1	2.7	*	1.1
	5	*	0.1	*	-	0.1
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		3.6	12.8	20.0	23.3	13.5
04	1	-	*	-	-	*
	2	0.8	0.2	*	0.1	0.2
	3	0.4	0.6	0.1	0.1	0.5
	4	0.1	0.3	0.2	0.1	0.3
	5	0.3	0.1	0.3	*	0.1
	6	*	*	-	-	*
	7	-	*	-	-	*
Total -----		1.7	1.2	0.7	0.3	1.1
05	1	-	-	-	-	-
	2	0.1	*	-	-	*
	3	0.1	0.1	*	0.1	0.1
	4	*	0.1	0.1	0.5	0.1
	5	0.1	*	0.7	*	*
	6	*	*	0.1	-	*
	7	*	-	-	-	*
Total -----		0.4	0.2	0.9	0.6	0.3
06	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	*	*
	4	-	*	*	0.2	*
	5	-	*	0.2	*	*
	6	-	*	*	-	*
	7	-	-	-	-	-
Total -----		-	*	0.2	0.3	0.1
07	1	-	-	-	-	-
	2	-	*	-	*	*
	3	*	*	*	-	*
	4	-	*	-	*	*
	5	-	*	-	*	*
	6	-	-	-	-	*
	7	-	-	*	-	*
Total -----		*	*	*	*	*
STAPLE						
40 & shorter		-	-	-	-	-
42		-	*	*	0.2	*
44		17.0	1.3	6.4	16.6	2.7
46		39.6	18.8	49.1	59.2	22.5
48 & longer		43.4	79.8	44.4	24.1	74.8
Average		46.6	48.0	46.8	46.2	47.8
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	*	-	-	*
78.5-79.4		-	*	*	*	*
79.5-80.4		*	*	0.1	0.1	*
80.5-81.4		0.1	0.3	0.3	0.4	0.3
81.5-82.4		1.0	1.4	2.0	2.0	1.5
82.5-83.4		5.1	5.3	8.7	8.1	5.5
83.5-84.4		19.2	15.4	24.3	23.8	16.3
84.5-85.4		38.7	37.5	35.5	36.8	37.4
85.5-86.4		21.7	30.5	22.5	22.0	29.6
86.5-87.4		11.1	8.4	6.1	6.0	8.3
87.5-88.4		3.0	1.2	0.5	0.8	1.2
88.5-89.4		0.1	*	*	*	*
89.5 & above		*	*	-	-	*
Average		85.2	85.2	84.9	84.9	85.2
BALES CLASSED		13,386	632,826	21,627	41,525	709,364

\* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through March 1, 2007

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	*	*	*	*
27 - 29	0.2	1.0	0.7	0.2	0.9
30 - 32	0.5	3.1	3.7	3.5	3.1
33 - 34	0.9	2.0	6.5	4.9	2.3
35 - 36	5.5	3.5	13.7	10.1	4.3
37 - 42	74.9	72.9	59.5	63.5	72.0
43 - 49	18.0	17.5	15.8	17.8	17.5
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
<b>Average</b>	<b>40</b>	<b>40</b>	<b>39</b>	<b>39</b>	<b>40</b>
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	*	-	*
26	-	*	*	*	*
27	-	0.1	0.1	*	0.1
28	*	0.3	0.2	*	0.3
29	0.1	0.6	0.4	0.1	0.5
30	0.2	0.9	0.9	0.5	0.9
31	0.2	1.1	1.2	1.2	1.1
32	0.1	1.1	1.7	1.8	1.1
33	0.2	1.0	2.4	2.4	1.1
34	0.6	1.0	4.1	2.5	1.1
35	1.8	1.2	5.9	4.0	1.6
36	3.7	2.3	7.8	6.1	2.7
37	4.9	4.4	10.3	9.4	4.9
38	6.6	7.9	11.6	11.3	8.2
39	13.0	12.4	11.3	12.8	12.4
40	15.9	15.8	10.4	12.1	15.4
41	18.5	17.0	8.8	10.2	16.4
42	16.0	15.3	7.2	7.7	14.6
43	10.9	10.4	5.9	6.1	10.0
44	4.9	5.1	4.4	4.5	5.1
45	1.8	1.6	3.1	3.3	1.7
46	0.4	0.3	1.7	2.1	0.5
47	0.1	*	0.6	1.1	0.1
48	*	*	0.1	0.5	*
49	*	*	*	0.2	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
<b>Average</b>	<b>40</b>	<b>40</b>	<b>39</b>	<b>39</b>	<b>40</b>
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	*	*	*	*
29	-	*	*	*	*
30	*	*	*	*	*
31	-	*	0.2	0.1	*
32	*	0.1	0.4	0.5	0.2
33	0.8	0.4	1.6	1.3	0.5
34	2.9	0.9	3.7	3.0	1.2
35	5.8	1.7	6.9	5.9	2.2
36	6.9	2.7	10.9	10.1	3.5
37	9.4	4.8	14.4	16.1	5.8
38	11.7	8.9	15.4	18.6	9.7
39	15.5	14.4	14.9	16.1	14.5
40	17.0	17.8	12.6	12.8	17.4
41	11.9	18.3	9.2	7.9	17.3
42	7.5	14.4	5.6	4.2	13.4
43	5.3	8.8	2.7	2.0	8.1
44	3.2	4.3	1.1	0.8	3.9
45 & above	2.0	2.4	0.4	0.5	2.2
<b>Average</b>	<b>39.2</b>	<b>40.3</b>	<b>38.3</b>	<b>38.2</b>	<b>40.1</b>
EXTRANEEOUS MATTER					
Bark	1.1	0.2	3.5	2.5	0.4
Grass	2.4	0.1	0.3	0.2	0.1
Spindle Twist	1.1	0.1	*	*	0.1
Preparation	*	0.4	*	*	0.4

\* Less than 0.05 percent.



1022890591